

# Washington Natural Heritage Program 2015 Endangered, Threatened, and Sensitive Vascular Plant List

Compiled by Joseph Arnett, Rare Plant Botanist, January 2015

Nomenclature, including classification of families, generally follows the Washington Flora Checklist.

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Abronia umbellata</i> var. <i>acutalata</i>	pink sand-verbena	Nyctaginaceae	G4G5T2	S1	E	
<i>Agoseris aurantiaca</i> var. <i>carnea</i>	pink agoseris	Asteraceae	G4	SU	S	
<i>Agoseris elata</i>	tall agoseris	Asteraceae	G4	S3	S	
<i>Agrostis mertensii</i>	northern bentgrass	Poaceae	G5	S1S2	T	
<i>Aliciella leptomeria</i>	Great Basin gilia	Polemoniaceae	G5	S1	T	
<i>Allium bisceptrum</i>	twincrest onion	Amaryllidaceae	G4G5	S1	S	
<i>Allium campanulatum</i>	Sierra onion	Amaryllidaceae	G4	S1	T	
<i>Allium constrictum</i>	constricted Douglas' onion	Amaryllidaceae	G2G3	S2S3	S	
<i>Allium dictuon</i>	Blue Mountain onion	Amaryllidaceae	G2	S2	T	
<i>Ammannia robusta</i>	grand redstem	Lythraceae	G5	S1	T	
<i>Anemone patens</i> var. <i>multifida</i>	pasqueflower	Ranunculaceae	G4T5	S1	T	
<i>Antennaria corymbosa</i>	meadow pussy-toes	Asteraceae	G5	S1	T	
<i>Arabis crucisetosa</i>	cross-haired rockcress	Brassicaceae	G4G5	S1	T	
<i>Arenaria paludicola</i>	swamp sandwort	Caryophyllaceae	G1	SX	X	E
<i>Artemisia campestris</i> var. <i>wormskioldii</i>	Wormskiold's northern wormwood	Asteraceae	G5T1	S1	E	C
<i>Asclepias cryptoceras</i>	Davis' milkweed	Apocynaceae	G4TNR	S1	T	
<i>Astragalus arrectus</i>	Palouse milk-vetch	Fabaceae	G2G4	S2	T	
<i>Astragalus arthurii</i>	Arthur's milk-vetch	Fabaceae	G5	S2	S	
<i>Astragalus asotinensis</i>	Asotin milk-vetch	Fabaceae	G2	S2	E	
<i>Astragalus australis</i> var. <i>cottonii</i>	Cotton's milk-vetch	Fabaceae	G5T2	S2	T	
<i>Astragalus columbianus</i>	Columbia milk-vetch	Fabaceae	G3	S3	S	
<i>Astragalus diaphanus</i>	transparent milk-vetch	Fabaceae	G3G4	SX	X	
<i>Astragalus geyeri</i> var. <i>geyeri</i>	Geyer's milk-vetch	Fabaceae	G4	S1	T	
<i>Astragalus kentrophyta</i> var. <i>douglasii</i>	thistle milk-vetch	Fabaceae	G5TX	SX	X	
<i>Astragalus microcystis</i>	least bladdery milk-vetch	Fabaceae	G5	S2	S	
<i>Astragalus misellus</i> var. <i>pauper</i>	pauper milk-vetch	Fabaceae	G4T3	S3	S	
<i>Astragalus multiflorus</i>	loose-flower milk-vetch	Fabaceae	G5	S1	T	
<i>Astragalus pulsiferae</i> var. <i>suksdorffii</i>	Ames' milk-vetch	Fabaceae	G4T2	S1	E	
<i>Astragalus riparius</i>	Piper's milk-vetch	Fabaceae	G1G2	S1S2	E	
<i>Astragalus sinuatus</i>	Whited's milk-vetch	Fabaceae	G1	S1	E	
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	coyotebush	Asteraceae	G5TNR	S1	T	
<i>Bergia texana</i>	Texas bergia	Elatinaceae	G5	SNR	X	
<i>Boechera cascadensis</i>	littleleaf rockcress	Brassicaceae	G5T1Q	SNR	X	
<i>Bolandra oregana</i>	bolandra	Saxifragaceae	G3	S2	S	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Botrychium ascendens</i>	triangular-lobed moonwort	Ophioglossaceae	G2G3	S2	S	
<i>Botrychium crenulatum</i>	crenulate moonwort	Ophioglossaceae	G3	S3	S	
<i>Botrychium hesperium</i>	western moonwort	Ophioglossaceae	G3G4	S1	T	
<i>Botrychium lineare</i>	skinny moonwort	Ophioglossaceae	G2?	S1	T	
<i>Botrychium paradoxum</i>	two-spiked moonwort	Ophioglossaceae	G2	S2	T	
<i>Botrychium pedunculosum</i>	stalked moonwort	Ophioglossaceae	G2G3	S2	S	
<i>Brodiaea rosea</i>	harvest brodiaea	Asparagaceae	GNR	SX	X	
<i>Calochortus longebarbatus</i> var. <i>longebarbatus</i>	long-bearded sego lily	Liliaceae	G4T4	S2S3	S	
<i>Calochortus macrocarpus</i> var. <i>maculosus</i>	sagebrush mariposa-lily	Liliaceae	G5T2	S1	T	
<i>Calochortus nitidus</i>	broad-fruit mariposa	Liliaceae	G3	S1	E	
<i>Calyptridium roseum</i>	rosy pussypaws	Montiaceae	G5	S1	T	
<i>Campanula lasiocarpa</i>	Alaska harebell	Campanulaceae	G5	S2	S	
<i>Carex anthoxantha</i>	yellow-flowered sedge	Cyperaceae	G5	S1	S	
<i>Carex capillaris</i>	hair-like sedge	Cyperaceae	G5	S1	T	
<i>Carex capitata</i>	capitate sedge	Cyperaceae	G5	S1	S	
<i>Carex chordorrhiza</i>	cordroot sedge	Cyperaceae	G5	S1	S	
<i>Carex circinata</i>	coiled sedge	Cyperaceae	G4	S1	S	
<i>Carex comosa</i>	bristly sedge	Cyperaceae	G5	S2	S	
<i>Carex densa</i>	dense sedge	Cyperaceae	G5	S1	S	
<i>Carex eburnea</i>	bristleleaf sedge	Cyperaceae	G4TNR	SNR	S	
<i>Carex flava</i>	yellow sedge	Cyperaceae	G5	S3	S	
<i>Carex gynocrates</i>	yellow bog sedge	Cyperaceae	G5	S1	S	
<i>Carex heteroneura</i>	smooth-fruit sedge	Cyperaceae	G5TNR	S2	S	
<i>Carex macrochaeta</i>	large-awn sedge	Cyperaceae	G5	S1	T	
<i>Carex magellanica</i> ssp. <i>irrigua</i>	poor sedge	Cyperaceae	G5T5	S2S3	S	
<i>Carex media</i>	intermediate sedge	Cyperaceae	G5	S2	S	
<i>Carex obtusata</i>	blunt sedge	Cyperaceae	G5	S2	S	
<i>Carex pauciflora</i>	few-flowered sedge	Cyperaceae	G5	S2	S	
<i>Carex pluriflora</i>	several-flowered sedge	Cyperaceae	G4	S1S2	S	
<i>Carex proposita</i>	Smoky Mountain sedge	Cyperaceae	G4	S2	T	
<i>Carex rostrata</i>	beaked sedge	Cyperaceae	G5	S1	S	
<i>Carex scirpoidea</i> ssp. <i>scirpoidea</i>	Canadian single-spike sedge	Cyperaceae	G5T5	S2	S	
<i>Carex stylosa</i>	long-styled sedge	Cyperaceae	G5	S1S2	S	
<i>Carex sychnocephala</i>	many-headed sedge	Cyperaceae	G4	S2	S	
<i>Carex tenera</i> var. <i>tenera</i>	quill sedge	Cyperaceae	G5	S1	T	
<i>Carex tenuiflora</i>	sparse-flowered sedge	Cyperaceae	G5	S1	T	
<i>Carex vallicola</i>	valley sedge	Cyperaceae	G5	S2	S	
<i>Cassiope lycopodioides</i>	clubmoss cassiope	Ericaceae	G4	S1	T	
<i>Castilleja cryptantha</i>	obscure indian-paintbrush	Orobanchaceae	G2G3	S2S3	S	
<i>Castilleja levisecta</i>	golden paintbrush	Orobanchaceae	G1	S1	T	T

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Castilleja victoriae</i>	Victoria's paintbrush	Orobanchaceae	G1	S1	E	
<i>Chaenactis thompsonii</i>	Thompson's chaenactis	Asteraceae	G2G3	S2S3	S	
<i>Cheilanthes feei</i>	Fee's lip-fern	Pteridaceae	G5	S1	T	
<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	golden chinquapin	Fagaceae	G5T5	S2	S	
<i>Chrysosplenium tetrandrum</i>	northern golden-carpet	Saxifragaceae	G5	S2	S	
<i>Chylismia scapoidea</i> ssp. <i>scapoidea</i>	naked-stalked evening-primrose	Onagraceae	G5T5	S1	S	
<i>Cicuta bulbifera</i>	bulb-bearing water-hemlock	Apiaceae	G5	S2	S	
<i>Cimicifuga elata</i>	tall bugbane	Ranunculaceae	G3TNR	S3	S	
<i>Cirsium remotifolium</i> var. <i>remotifolium</i>	weak thistle	Asteraceae	G5TNR	SNR	S	
<i>Claytonia multiscapa</i> ssp. <i>pacifica</i>	pacific lanceleaved springbeauty	Montiaceae	G5T3	S1	T	
<i>Cochlearia groenlandica</i>	scurvygrass	Brassicaceae	G5	S1S2	S	
<i>Coeloglossum viride</i> var. <i>virescens</i>	long-bract frog orchid	Orchidaceae	G5	S1	T	
<i>Collinsia sparsiflora</i> var. <i>bruceae</i>	few-flowered collinsia	Plantaginaceae	G4T4	S1S2	S	
<i>Collomia macrocalyx</i>	bristle-flowered collomia	Polemoniaceae	G3G4	S1	S	
<i>Comastoma tenellum</i>	slender gentian	Gentianaceae	G4G5T4	S1	S	
<i>Coptis aspleniifolia</i>	spleenwort-leaved goldthread	Ranunculaceae	G5	S2	S	
<i>Coptis trifolia</i>	goldthread	Ranunculaceae	G5	S1	T	
<i>Corispermum pallidum</i>	pale bugseed	Amaranthaceae	GH	SH	X	
<i>Corispermum villosum</i>	hairy bugseed	Amaranthaceae	G4?	SU	S	
<i>Corydalis aquae-gelidae</i>	Clackamas corydalis	Papaveraceae	G3	S2S3	S	
<i>Crassula connata</i>	erect pygmy-weed	Crassulaceae	G5	S1S2	T	
<i>Cryptantha gracilis</i>	narrow-stem cryptantha	Boraginaceae	G5	S2	S	
<i>Cryptantha leucophaea</i>	gray cryptantha	Boraginaceae	G2G3	S2S3	S	
<i>Cryptantha rostellata</i>	beaked cryptantha	Boraginaceae	G4	S2	T	
<i>Cryptantha scoparia</i>	miner's candle	Boraginaceae	G4?	S1	S	
<i>Cryptantha spiculifera</i>	Snake River cryptantha	Boraginaceae	G4?	S2?	S	
<i>Cryptogramma stelleri</i>	Steller's rockbrake	Pteridaceae	G5	S1S2	S	
<i>Cuscuta denticulata</i>	desert dodder	Convolvulaceae	G4G5	S1	T	
<i>Cusickiella douglasii</i>	Douglas' draba	Brassicaceae	G4G5	S1	T	
<i>Cypripedium parviflorum</i>	yellow lady's-slipper	Orchidaceae	G5	S2	T	
<i>Damasonium californicum</i>	fringed waterplantain	Alismataceae	G4	S1	E	
<i>Delphinium leucophaeum</i>	pale larkspur	Ranunculaceae	G2Q	S1	E	
<i>Delphinium viridescens</i>	Wenatchee larkspur	Ranunculaceae	G2	S2	T	
<i>Diplacus cusickii</i>	Cusick monkeyflower	Phrymaceae	G4G5	S1	T	
<i>Dodecatheon austrofrigidum</i>	frigid shootingstar	Primulaceae	G2	S1	E	
<i>Draba aurea</i>	golden draba	Brassicaceae	G5	S1S2	S	
<i>Draba cana</i>	lance-leaved draba	Brassicaceae	G5	S1S2	S	
<i>Dryas drummondii</i> var. <i>drummondii</i>	yellow mountain-avens	Rosaceae	G5T5	S2	S	
<i>Dryopteris cristata</i>	crested shield-fern	Dryopteridaceae	G5	S2	S	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Eatonella nivea</i>	white eatonella	Asteraceae	G4G5	S1	T	
<i>Eleocharis atropurpurea</i>	purple spike-rush	Cyperaceae	G4G5	SX	X	
<i>Eleocharis coloradoensis</i>	dwarf spike-rush	Cyperaceae	GNR	SNR	S	
<i>Eleocharis rostellata</i>	beaked spike-rush	Cyperaceae	G5	S2	S	
<i>Eremogone franklinii</i> var. <i>thompsonii</i>	Thompson's sandwort	Caryophyllaceae	G4THQ	SU	S	
<i>Eremothera minor</i>	small-flower evening-primrose	Onagraceae	G4	S2	S	
<i>Eremothera pygmaea</i>	dwarf evening-primrose	Onagraceae	G3	S3	S	
<i>Erigeron aliceae</i>	Alice's fleabane	Asteraceae	G4	S2	S	
<i>Erigeron basalticus</i>	basalt daisy	Asteraceae	G2	S2	T	
<i>Erigeron davisii</i>	Davis' fleabane	Asteraceae	G5T3	SNR	S	
<i>Erigeron disparipilus</i>	Snake River daisy	Asteraceae	G5	SNR	S	
<i>Erigeron elatus</i>	tall bitter fleabane	Asteraceae	G4?	S1	E	
<i>Erigeron howellii</i>	Howell's daisy	Asteraceae	G2	S2	T	
<i>Erigeron oreganus</i>	gorge daisy	Asteraceae	G3	S2	T	
<i>Erigeron peregrinus</i> var. <i>thompsonii</i>	Thompson's wandering daisy	Asteraceae	G5T2	S2	S	
<i>Erigeron piperianus</i>	Piper's daisy	Asteraceae	G3	S3	S	
<i>Erigeron salishii</i>	Salish fleabane	Asteraceae	G2G3	S2	S	
<i>Eriogonum codium</i>	Umtanum desert buckwheat	Polygonaceae	G1	S1	E	T
<i>Eriogonum maculatum</i>	spotted buckwheat	Polygonaceae	G5	SX	X	
<i>Eriophorum viridicarinatum</i>	green keeled cotton-grass	Cyperaceae	G5	S2	S	
<i>Eritrichium nanum</i> var. <i>elongatum</i>	pale alpine-forget-me-not	Boraginaceae	G5T4	S1	S	
<i>Eryngium articulatum</i>	jointed coyote-thistle	Apiaceae	G5	SH	X	
<i>Eryngium petiolatum</i>	Oregon coyote-thistle	Apiaceae	G4	S1	T	
<i>Erythranthe jungermannioides</i>	liverwort monkey-flower	Phrymaceae	G3	SH	X	
<i>Erythranthe patula</i>	stalk-leaved monkeyflower	Phrymaceae	G3Q	S1	T	
<i>Erythranthe pulsiferae</i>	Pulsifer's monkey-flower	Phrymaceae	G4?	S2	S	
<i>Erythranthe suksdorffii</i>	Suksdorf's monkey-flower	Phrymaceae	G4	S2	S	
<i>Erythranthe washingtonensis</i>	Washington monkey-flower	Phrymaceae	G4	SX	X	
<i>Erythronium quinaultense</i>	Quinault fawnlily	Liliaceae	G2	S1S2	T	
<i>Erythronium revolutum</i>	pink fawn-lily	Liliaceae	G4	S3	S	
<i>Euonymus occidentalis</i> var. <i>occidentalis</i>	western wahoo	Celastraceae	G5TNR	S1	S	
<i>Eurybia merita</i>	arctic aster	Asteraceae	G5	S1S2	T	
<i>Eutrochium maculatum</i> var. <i>brunieri</i>	spotted joe-pye weed	Asteraceae	G5T4T5Q	SH	X	
<i>Filipendula occidentalis</i>	queen-of-the-forest	Rosaceae	G2G3	S2S3	T	
<i>Fritillaria camschatcensis</i>	black lily	Liliaceae	G5	S2	T	
<i>Gaultheria hispida</i>	creeping snowberry	Ericaceae	G5	S2	S	
<i>Gentiana douglasiana</i>	swamp gentian	Gentianaceae	G4	S2	S	
<i>Gentiana glauca</i>	glaucous gentian	Gentianaceae	G4G5	S2	S	
<i>Geranium oreganum</i>	Oregon crane's-bill	Geraniaceae	G4G5	SX	X	
<i>Geum rivale</i>	water avens	Rosaceae	G5	S2S3	S	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Geum rossii</i> var. <i>depressum</i>	Ross' avens	Rosaceae	G5T1	S1	E	
<i>Githopsis specularioides</i>	common blue-cup	Campanulaceae	G5	S3	S	
<i>Hackelia cinerea</i>	gray stickseed	Boraginaceae	G4?	S1	S	
<i>Hackelia diffusa</i> var. <i>diffusa</i>	diffuse stickseed	Boraginaceae	G4T3	S2	T	
<i>Hackelia hispida</i> var. <i>disjuncta</i>	sagebrush stickseed	Boraginaceae	G4T2T3	S2S3	S	
<i>Hackelia hispida</i> var. <i>hispida</i>	rough stickseed	Boraginaceae	G4T4	S1	T	
<i>Hackelia taylorii</i>	Taylor's stickseed	Boraginaceae	G2	S2	T	
<i>Hackelia venusta</i>	showy stickseed	Boraginaceae	G1	S1	E	E
<i>Hedysarum occidentale</i>	western hedysarum	Fabaceae	G5T5	S1	S	
<i>Heterotheca oregonia</i>	oregon goldenaster	Asteraceae	G4T4?	S1	S	
<i>Howellia aquatilis</i>	water howellia	Campanulaceae	G3	S2S3	S	T
<i>Hypericum majus</i>	Canadian St. John's-wort	Hypericaceae	G5	S2	S	
<i>Iliamna longisepala</i>	longsepal globemallow	Malvaceae	G3	S3	S	
<i>Impatiens noli-tangere</i>	western jewel-weed	Balsaminaceae	G4G5	S1	T	
<i>Isoetes nuttallii</i>	Nuttall's quillwort	Isoetaceae	G4?	S1	S	
<i>Juncus hemiendytus</i> var. <i>hemiendytus</i>	dwarf rush	Juncaceae	G5T5	S1	T	
<i>Juncus howellii</i>	Howell's rush	Juncaceae	G4	S1	T	
<i>Juncus kelloggii</i>	Kellogg's rush	Juncaceae	G3?	S1	E	
<i>Juncus tiehmii</i>	Tiehm's rush	Juncaceae	G4	S1	T	
<i>Juncus uncialis</i>	inch-high rush	Juncaceae	G3G4	S2	S	
<i>Kalmia procumbens</i>	alpine azalea	Ericaceae	G5	S1	T	
<i>Lasthenia glaberrima</i>	smooth goldfields	Asteraceae	G5	S1	E	
<i>Lathrocasis tenerima</i>	delicate gilia	Polemoniaceae	G5	SU	S	
<i>Lathyrus holochlorus</i>	thin-leaved peavine	Fabaceae	G2	S1	E	
<i>Lathyrus torreyi</i>	Torrey's peavine	Fabaceae	G5	S1	T	
<i>Lathyrus vestitus</i> var. <i>ochropetalus</i>	Pacific pea	Fabaceae	G5TNR	S1	E	
<i>Lepidium oxycarpum</i>	sharpfruited peppergrass	Brassicaceae	G4	S1	E	
<i>Leptosiphon bolanderi</i>	Baker's linanthus	Polemoniaceae	G4G5	S2	S	
<i>Liparis loeselii</i>	twayblade	Orchidaceae	G5	S1	E	
<i>Lipocarpha aristulata</i>	awned halfchaff sedge	Cyperaceae	G5?	S1	T	
<i>Lobelia dortmanna</i>	water lobelia	Campanulaceae	G4G5	S2	T	
<i>Lobelia kalmii</i>	Kalm's lobelia	Campanulaceae	G5	S1	E	
<i>Loeflingia squarrosa</i>	loeflingia	Caryophyllaceae	G5T4?	S1	T	
<i>Lomatium bradshawii</i>	Bradshaw's lomatium	Apiaceae	G2	S1	E	E
<i>Lomatium knoepkei</i>	desert-parsley	Apiaceae	GNR	SNR	S	
<i>Lomatium laevigatum</i>	smooth desert-parsley	Apiaceae	G3	S2	T	
<i>Lomatium rollinsii</i>	Rollins' desert-parsley	Apiaceae	G3	S2	T	
<i>Lomatium sandbergii</i>	Sandberg desert-parsley	Apiaceae	G4	S1	T	
<i>Lomatium serpentinum</i>	Snake Canyon desert-parsley	Apiaceae	G4	S2	S	
<i>Lomatium suksdorfii</i>	Suksdorf's desert-parsley	Apiaceae	G3	S3	S	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Lomatium tuberosum</i>	Hoover's desert-parsley	Apiaceae	G2G3	S2S3	S	
<i>Lupinus oreganus</i>	Kincaid's sulfur lupine	Fabaceae	G5T2	S1	E	T
<i>Lupinus sabinianus</i>	Sabin's lupine	Fabaceae	G4	S1	E	
<i>Luzula arcuata</i> ssp. <i>unalaschensis</i>	curved woodrush	Juncaceae	G5T3T5	S1	S	
<i>Lycopodiella inundata</i>	bog clubmoss	Lycopodiaceae	G5	S2	S	
<i>Lycopodium dendroideum</i>	treelike clubmoss	Lycopodiaceae	G5	S2	S	
<i>Meconella oregana</i>	white meconella	Papaveraceae	G2G3	S1	E	
<i>Micranthes tischii</i>	Tisch's saxifrage	Saxifragaceae	G1?	S1?	S	
<i>Micromonolepis pusilla</i>	red poverty-weed	Amaranthaceae	G5	S1	T	
<i>Microseris bigelovii</i>	coast microseris	Asteraceae	G4	SX	X	
<i>Microseris borealis</i>	northern microseris	Asteraceae	G4?	S2	S	
<i>Minuartia nuttallii</i> var. <i>fragilis</i>	Nuttall's sandwort	Caryophyllaceae	G5T4	S1	T	
<i>Minuartia pusilla</i>	annual sandwort	Caryophyllaceae	G5T3T5	SNR	S	
<i>Monolepis spathulata</i>	prostrate poverty-weed	Amaranthaceae	G5	SU	S	
<i>Montia diffusa</i>	branching montia	Montiaceae	G4	S2S3	S	
<i>Muhlenbergia glomerata</i>	marsh muhly	Poaceae	G5	S1S2	S	
<i>Muhlenbergia mexicana</i> var. <i>mexicana</i>	Mexican muhly	Poaceae	G5T5	SNR	S	
<i>Myosurus clavicaulis</i>	mousetail	Ranunculaceae	G3?	S2	S	
<i>Navarretia tagetina</i>	marigold navarretia	Polemoniaceae	G5	S1	T	
<i>Nicotiana attenuata</i>	coyote tobacco	Solanaceae	G4	S2	S	
<i>Nuttallanthus texanus</i>	Texas toadflax	Plantaginaceae	G4G5	S1	S	
<i>Nymphaea tetragona</i>	pygmy water-lily	Nymphaeaceae	G5	SH	X	
<i>Oenothera cespitosa</i> ssp. <i>cespitosus</i>	cespitose evening-primrose	Onagraceae	G5T5	S2	S	
<i>Oenothera cespitosa</i> ssp. <i>marginata</i>	tufted evening-primrose	Onagraceae	G5T3T5	S1	T	
<i>Oenothera flava</i> ssp. <i>flava</i>	long-tubed evening-primrose	Onagraceae	G5T3T5	SH	X	
<i>Ophioglossum pusillum</i>	adder's-tongue	Ophioglossaceae	G5	S1S2	T	
<i>Orobanche californica</i> ssp. <i>grayana</i>	cancer-root, California broomrape	Orobanchaceae	G4T3T4	SX	E	
<i>Orthocarpus bracteosus</i>	rosy owl-clover	Orobanchaceae	G3?	S1	E	
<i>Oxalis suksdorfii</i>	western yellow oxalis	Oxalidaceae	G4	S1	T	
<i>Oxytropis borealis</i> var. <i>viscida</i>	sticky crazyweed	Fabaceae	G5T4?	S1S2	S	
<i>Oxytropis campestris</i> var. <i>columbiana</i>	Columbia crazyweed	Fabaceae	G5T1	S1	E	
<i>Oxytropis campestris</i> var. <i>gracilis</i>	slender crazyweed	Fabaceae	G5T5?	S2	S	
<i>Oxytropis campestris</i> var. <i>wanapum</i>	Wanapum crazyweed	Fabaceae	G5T1	S1	E	
<i>Packera bolanderi</i> var. <i>harfordii</i>	Harford's ragwort	Asteraceae	G4TUQ	SNR	S	
<i>Packera macounii</i>	Siskiyou Mountain ragwort	Asteraceae	G5	SNR	S	
<i>Packera porteri</i>	Porter's butterweed	Asteraceae	G4	S1S2	S	
<i>Parnassia fimbriata</i> var. <i>hoodiana</i>	fringed grass-of-parnassus	Celastraceae	G5T3	S1	T	
<i>Parnassia kotzebuei</i>	Kotzebue's grass-of-parnassus	Celastraceae	G5	S1	T	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Parnassia palustris</i> var. <i>neogaea</i>	northern grass-of-parnassus	Celastraceae	G5TNR	S2	S	
<i>Pedicularis pulchella</i>	Mountain lousewort	Orobanchaceae	G3	SNR	S	
<i>Pedicularis rainierensis</i>	Mt. Rainier lousewort	Orobanchaceae	G2G3	S2S3	S	
<i>Pediocactus nigrispinus</i>	snowball cactus	Cactaceae	G4	S2	S	
<i>Pellaea brachyptera</i>	Sierra cliff-brake	Pteridaceae	G4G5	S2	S	
<i>Pellaea breweri</i>	Brewer's cliff-brake	Pteridaceae	G5	S2	S	
<i>Penstemon barrettiae</i>	Barrett's beardtongue	Plantaginaceae	G2	S2	T	
<i>Penstemon deustus</i> var. <i>variabilis</i>	hot-rock penstemon	Plantaginaceae	G5T1T2	S1S2	T	
<i>Penstemon wilcoxii</i>	Wilcox's penstemon	Plantaginaceae	G4	S1	S	
<i>Perideridia oregana</i>	Oregon yampah	Apiaceae	G4G5	S1	S	
<i>Petrosphytum caespitosum</i> ssp. <i>caespitosum</i>	Rocky Mountain rockmat	Rosaceae	G5T3T5	S1	T	
<i>Petrosphytum cinerascens</i>	Chelan rockmat	Rosaceae	G1	S1	E	
<i>Phacelia lenta</i>	sticky phacelia	Boraginaceae	G2	S2	T	
<i>Phacelia minutissima</i>	least phacelia	Boraginaceae	G3	S1	E	
<i>Phacelia tetramera</i>	dwarf phacelia	Boraginaceae	G4	S1	S	
<i>Physaria didymocarpa</i> ssp. <i>didymocarpa</i>	common twinpod	Brassicaceae	G5T4	S1	T	
<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>	White Bluffs bladderpod	Brassicaceae	G4?T2	S2	T	PT
<i>Pilularia americana</i>	American pillwort	Marsileaceae	G5	S1S2	T	
<i>Pityopus californicus</i>	pine-foot	Ericaceae	G4G5	S1	T	
<i>Plantago macrocarpa</i>	Alaska plantain	Plantaginaceae	G4	S2	S	
<i>Platanthera chorisiana</i>	Choris' bog-orchid	Orchidaceae	G3G4	S2	T	
<i>Platanthera obtusata</i> ssp. <i>obtusata</i>	small northern bog-orchid	Orchidaceae	G5	S2	S	
<i>Poa laxiflora</i>	loose-flowered bluegrass	Poaceae	G3G4	S2S3	S	
<i>Poa nervosa</i>	Wheeler's bluegrass	Poaceae	G3?	S2	S	
<i>Poa unilateralis</i> ssp. <i>pachypholis</i>	ocean-bluff bluegrass	Poaceae	G3TNR	S2	T	
<i>Polemonium carneum</i>	great polemonium	Polemoniaceae	G4	S1S2	T	
<i>Polemonium pectinatum</i>	Washington polemonium	Polemoniaceae	G2	S2	T	
<i>Polemonium viscosum</i>	skunk polemonium	Polemoniaceae	G5	S1S2	S	
<i>Polyctenium fremontii</i>	Fremont's combleaf	Brassicaceae	G4T4	S1	T	
<i>Polygonum austinae</i>	Austin's knotweed	Polygonaceae	G4	S1	T	
<i>Polygonum parryi</i>	Parry's knotweed	Polygonaceae	G4	S1?	T	
<i>Polystichum californicum</i>	California sword-fern	Dryopteridaceae	G4	S1S2	T	
<i>Potamogeton obtusifolius</i>	blunt-leaved pondweed	Potamogetonaceae	G5	S2	S	
<i>Potentilla breweri</i>	Brewer's cinquefoil	Rosaceae	GNR	S1	T	
<i>Potentilla glaucophylla</i> var. <i>perdissecta</i>	diverse-leaved cinquefoil	Rosaceae	G5T4	S1	S	
<i>Potentilla newberryi</i>	Newberry cinquefoil	Rosaceae	G3G4	SH	X	
<i>Potentilla nivea</i>	snow cinquefoil	Rosaceae	G5	S2	S	
<i>Pyrrocoma hirta</i> var. <i>sonchifolia</i>	sticky goldenweed	Asteraceae	G4G5T3	S1	S	
<i>Pyrrocoma liatrisiformis</i>	Palouse goldenweed	Asteraceae	G2	S2	T	

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Pyrrocoma scaberula</i>	Palouse goldenweed	Asteraceae	GNR	SNR	T	
<i>Ranunculus cooleyae</i>	Cooley's buttercup	Ranunculaceae	G4	S1S2	S	
<i>Ranunculus hebecarpus</i>	downy butter-cup	Ranunculaceae	G5	SNR	S	
<i>Ranunculus populago</i>	mountain buttercup	Ranunculaceae	G4	S2	S	
<i>Ranunculus triternatus</i>	obscure buttercup	Ranunculaceae	G2	S1	E	
<i>Ribes cereum</i> var. <i>colubrinum</i>	squaw currant	Grossulariaceae	G5T3	S1	E	
<i>Ribes oxyacanthoides</i> var. <i>irriguum</i>	Idaho gooseberry	Grossulariaceae	G5T3T4	S2	T	
<i>Ribes wolfii</i>	Wolf's currant	Grossulariaceae	G4	S3	S	
<i>Rorippa columbiae</i>	persistent-sepal yellowcress	Brassicaceae	G3	S1S2	T	
<i>Rotala ramosior</i>	lowland toothcup	Lythraceae	G5	S1	T	
<i>Rubus arcticus</i> ssp. <i>acaulis</i>	nagoonberry	Rosaceae	G5T5	S1	T	
<i>Rubus nigerrimus</i>	northwest raspberry	Rosaceae	G1	S1	E	
<i>Salix candida</i>	hoary willow	Salicaceae	G5	S1	T	
<i>Salix glauca</i> var. <i>villosa</i>	glaucous willow	Salicaceae	G5T5?	S1S2	S	
<i>Salix maccalliana</i>	MacCall's willow	Salicaceae	G5?	S1	S	
<i>Salix pseudomonticola</i>	false mountain willow	Salicaceae	G4G5	S1	S	
<i>Salix sessilifolia</i>	soft-leaved willow	Salicaceae	G4	S2	S	
<i>Salix tweedyi</i>	Tweedy's willow	Salicaceae	G4	S3	S	
<i>Salix vestita</i>	rock willow	Salicaceae	G5T3T4Q	SH	S	
<i>Samolus parviflorus</i>	water-pimpernel	Primulaceae	G5	S1	S	
<i>Sandbergia perplexa</i>	puzzling rockcress	Brassicaceae	G4T3	S1	T	
<i>Sanguisorba menziesii</i>	Menzies' burnet	Rosaceae	G3G4	S1	T	
<i>Sanicula arctopoides</i>	bear's-foot sanicle	Apiaceae	G5	S1	E	
<i>Sanicula marilandica</i>	black snake-root	Apiaceae	G5	S2	S	
<i>Saxifraga cernua</i>	nodding saxifrage	Saxifragaceae	G4	S1S2	S	
<i>Saxifraga hyperborea</i>	pygmy saxifrage	Saxifragaceae	G5?	S3	S	
<i>Saxifragopsis fragarioides</i>	strawberry saxifrage	Saxifragaceae	G3?	S1	T	
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem	Poaceae	G5T5	S1S2	T	
<i>Schoenoplectus saximontanus</i>	Rocky Mountain bulrush	Cyperaceae	G5	S1	T	
<i>Sclerolinon digynum</i>	northwestern yellowflax	Linaceae	G5	S1S2	T	
<i>Scribniera bolanderi</i>	Scribner-grass	Poaceae	G4	S1	S	
<i>Sericocarpus oregonensis</i> ssp. <i>oregonensis</i>	oregon white-top aster	Asteraceae	G5TNR	S1	T	
<i>Sericocarpus rigidus</i>	white-top aster	Asteraceae	G3	S3	S	
<i>Sidalcea hirtipes</i>	hairy-stemmed checker-mallow	Malvaceae	G2	S1	T	
<i>Sidalcea nelsoniana</i>	Nelson's checker-mallow	Malvaceae	G2	S1	E	T
<i>Sidalcea oregana</i> var. <i>calva</i>	Wenatchee Mountain checker-mallow	Malvaceae	G5T1	S1	E	E
<i>Sidalcea virgata</i>	rose checker-mallow	Malvaceae	G5TNR	S1	E	
<i>Silene scouleri</i> ssp. <i>scouleri</i>	Scouler's catchfly	Caryophyllaceae	G5TNRQ	SU	S	
<i>Silene seelyi</i>	Seely's silene	Caryophyllaceae	G2G3	S2S3	S	
<i>Silene spaldingii</i>	Spalding's silene	Caryophyllaceae	G2	S2	T	T

Species name	Common Name	Family Name	Global Rank	State Rank	Status	
					WA	FWS
<i>Sisyrinchium montanum</i> var. <i>montanum</i>	strict blue-eyed-grass	Iridaceae	G5	S1	T	
<i>Sisyrinchium sarmentosum</i>	pale blue-eyed grass	Iridaceae	G1G2	S1S2	T	
<i>Sisyrinchium septentrionale</i>	blue-eyed grass	Iridaceae	G3G4	S3	S	
<i>Sparganium fluctuans</i>	water bur-reed	Typhaceae	G5	S1	T	
<i>Spartina pectinata</i>	prairie cordgrass	Poaceae	G5	S2	S	
<i>Spiranthes diluvialis</i>	Ute ladies' tresses	Orchidaceae	G2	S1	E	T
<i>Spiranthes porrifolia</i>	western ladies-tresses	Orchidaceae	G4	S2	S	
<i>Sullivantia oregana</i>	Oregon sullivantia	Saxifragaceae	G2	S1	E	
<i>Swertia perennis</i>	swertia	Gentianaceae	G5	S1?	S	
<i>Symphyotrichum boreale</i>	rush aster	Asteraceae	G5	S1	T	
<i>Symphyotrichum hallii</i>	Hall's aster	Asteraceae	G4	S1	T	
<i>Symphyotrichum jessicae</i>	Jessica's aster	Asteraceae	G2	S1S2	E	
<i>Synthyris pinnatifida</i> var. <i>lanuginosa</i>	cut-leaf synthyris	Plantaginaceae	G4T2	S2	T	
<i>Tauschia hooveri</i>	Hoover's tauschia	Apiaceae	G2	S2	S	
<i>Tauschia tenuissima</i>	Leiberg's tauschia	Apiaceae	G3	SX	X	
<i>Thelypodium howellii</i> ssp. <i>howellii</i>	Howell's thelypody	Brassicaceae	G2T2	SNR	S	
<i>Thelypodium sagittatum</i> ssp. <i>sagittatum</i>	arrow thelypody	Brassicaceae	G4T4	S1	S	
<i>Trifolium douglasii</i>	Douglas' clover	Fabaceae	G2	S1	E	
<i>Trifolium plumosum</i> var. <i>plumosum</i>	plumed clover	Fabaceae	G4T4	S1	T	
<i>Trifolium thompsonii</i>	Thompson's clover	Fabaceae	G2	S2	T	
<i>Trillium parviflorum</i>	small-flowered trillium	Melanthiaceae	G2G3	S2S3	S	
<i>Utricularia intermedia</i>	flat-leaved bladderwort	Lentibulariaceae	G5	S2	S	
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	Ericaceae	G5	S1	S	
<i>Veratrum insolitum</i>	Siskiyou false-hellebore	Melanthiaceae	G3	S1	T	
<i>Whipplea modesta</i>	yerba de selva	Hydrangeaceae	G4	SNR	S	
<i>Woodwardia fimbriata</i>	chain-fern	Blechnaceae	G5	S2	S	
<i>Wyethia angustifolia</i>	California compassplant	Asteraceae	G4	SU	S	
<i>Zeltnera muehlenbergii</i>	Monterey centaury	Gentianaceae	G5?	SH	T	

**Washington Status** of plant species is determined by the Washington Natural Heritage Program. Factors considered include abundance, occurrence patterns, vulnerability, threats, existing protection, and taxonomic distinctness. Values include:

E = Endangered. In danger of becoming extinct or extirpated from Washington.

T = Threatened. Likely to become Endangered in Washington.

S = Sensitive. Vulnerable or declining and could become Endangered or Threatened in the state.

X = Possibly extinct or extirpated from Washington.

**Federal Status** of plants under the U.S. Endangered Species Act is determined by the U.S. Fish and Wildlife Service:

E = Listed as Endangered. In danger of extinction.

T = Listed as Threatened. Likely to become endangered.

C = Candidate species. Sufficient information exists to support listing as Endangered or Threatened.

**Global Rank** characterizes the relative rarity or endangerment of the element world-wide.

G1 = Critically Imperiled - At very high risk of extinction or elimination due to very restricted range, very few populations or occurrences, very steep declines, very severe threats, or other factors.

G2 = Imperiled - At high risk of extinction or elimination due to restricted range, few populations or occurrences, steep declines, severe threats, or other factors.

G3 = Vulnerable - At moderate risk of extinction or elimination due to a fairly restricted range, relatively few populations or occurrences, recent and widespread declines, threats, or other factors.

G4 = Apparently Secure - At fairly low risk of extinction or elimination due to an extensive range and/or many populations or occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors.

G5 = Secure - At very low risk of extinction or elimination due to a very extensive range, abundant populations or occurrences, and little to no concern from declines or threats.

GH = Possibly Extinct - Known from only historical occurrences but still some hope of rediscovery.

GU = Unrankable - Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.

GX = Presumed Extinct - Not located despite intensive searches and virtually no likelihood of rediscovery.

GNR = Unranked - Global rank not yet assessed.

G#G# = Range Rank - A numeric range rank (e.g., G2G3, G1G3) is used to indicate uncertainty about the exact status of a taxon or ecosystem type.

**State Rank** characterizes the relative rarity or endangerment within the state of Washington.

S1 = Critically Imperiled - At very high risk of extirpation in the state due to very restricted range, very few populations or occurrences, very steep declines, severe threats, or other factors.

S2 = Imperiled - At high risk of extirpation in the state due to restricted range, few populations or occurrences, steep declines, severe threats, or other factors.

S3 = Vulnerable - At moderate risk of extirpation in the state due to a fairly restricted range, relatively few populations or occurrences, recent and widespread declines, threats, or other factors.

S4 = Apparently Secure - At a fairly low risk of extirpation in the state due to an extensive range and/or many populations or occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors.

S5 = Secure - At very low or no risk of extirpation in the state due to a very extensive range, abundant populations or occurrences, with little to no concern from declines or threats.

SH = Possibly Extirpated - Known from only historical records but still some hope of rediscovery.

SX = Presumed Extirpated - Species is believed to be extirpated from the state. Not located despite intensive searches of historical sites and other appropriate habitat, and virtually no likelihood that it will be rediscovered.

SU = Unrankable - Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.

SNR = Unranked - Subnational conservation status not yet assessed

SNA = Not Applicable - A conservation status rank is not applicable because the species or ecosystem is not a suitable target for conservation activities.